



Safety Data Sheet

Issue Date: 1-Feb-2018

Revision Date:

Version 1

1. IDENTIFICATION

Product Identifier

Product Name GlobalTech® Epoxy & Adhesive Remover – Odorless Formula Saturated Wipes/Refills

Other means of identification

SDS # JNJ-013-WIPES

Product Code EAD-Wipes
UN/ID No UN3175

Recommended use of the chemical and restrictions on use

Recommended Use Epoxy and adhesive remover

Details of the supplier of the safety data sheet

Supplier Address

JNJ Industries
290 Beaver Street
Franklin, MA 02038

Emergency Telephone Number

Company Phone Number Phone: 800-554-9994 / 508-553-0529
Fax: 508-553-9973
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Liquid saturated on wipe **Physical State** Solid **Odor** Odorless

Classification

The classification below is for the liquid which is absorbed onto the wipes

Acute toxicity - Dermal	Category 4
Germ cell mutagenicity	Category 1B
Reproductive toxicity	Category 2
Aspiration toxicity	Category 1
Flammable Liquids	Category 3

Signal Word

Danger

Hazard Statements

Harmful in contact with skin
May cause genetic defects
Suspected of damaging fertility or the unborn child
May be fatal if swallowed and enters airways
Flammable liquid and vapor



Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Keep container tightly closed
 Ground/bond container and receiving equipment
 Use explosion-proof equipment
 Use only non-sparking tools
 Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Call a poison center or doctor/physician if you feel unwell
 Wash contaminated clothing before reuse
 IF SWALLOWED: Immediately call a poison center or doctor/physician
 Do not induce vomiting
 IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Mixed Aliphatic Hydrocarbons	Proprietary	>90
Dimethycyclosiloxane Mixture	Proprietary	<10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

- | | |
|-----------------------|--|
| General Advice | If exposed or concerned: Get medical advice/attention. |
| Eye Contact | Rinse thoroughly with plenty of water, also under the eyelids. |
| Skin Contact | Wash off immediately with plenty of water. Take off contaminated clothing. Wash contaminated clothing before reuse. Call a physician if you feel unwell. |
| Inhalation | Remove to fresh air. Oxygen or artificial respiration if needed. |

Ingestion	Do not induce vomiting. Call a physician or poison control center immediately. Aspiration hazard if swallowed- can enter lungs and cause damage.
------------------	--

Most important symptoms and effects

Symptoms	Contact may cause irritation and redness. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause nausea, vomiting, dizziness, and headache.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media Do not use direct stream of water, material may float and reignite.

Specific Hazards Arising from the Chemical

Flammable.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
-----------------------------	--

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

Methods for Clean-Up	Place in an appropriate container for disposal.
-----------------------------	---

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.
---------------------------	---

Incompatible Materials	Strong oxidizers.
-------------------------------	-------------------

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines No exposure limits noted for ingredient(s).

Appropriate engineering controls

Engineering Controls Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses.

Skin and Body Protection Chemical resistant protective gloves.

Respiratory Protection Use self-contained breathing apparatus in high vapor concentrations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Solid	Odor	Odorless
Appearance	Liquid saturated on wipe	Odor Threshold	Not determined
Color	Clear		

Property	The information below is for the liquid absorbed onto the wipe	Remarks • Method
pH	Not determined	
Melting Point/Freezing Point	Not established	
Boiling Point/Boiling Range	176-209 °C / 346-406 °F	
Flash Point	52 °C / 126 °F	
Evaporation Rate	0.17	(butyl acetate = 1)
Flammability (Solid, Gas)	Not determined	
Upper Flammability Limits	Not available	
Lower Flammability Limit	Not available	
Vapor Pressure	1.2 mm Hg	
Vapor Density	5.2	(Air=1)
Specific Gravity	0.79	(1=Water)
Water Solubility	Slightly soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	232 °C / 450 °F	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not available	
Dynamic Viscosity	Not available	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks.

Incompatible Materials

Strong oxidizers.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

- Eye Contact** Avoid contact with eyes.
- Skin Contact** Harmful in contact with skin.
- Inhalation** Avoid breathing vapors or mists.
- Ingestion** Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Mixed Aliphatic Hydrocarbons	> 7000 mg/kg (Rat)	> 3000 mg/kg (Rat) > 2000 mg/kg (Rabbit)	> 5.04 mg/L (Rat) 4 h
Dimethycyclosiloxane Mixture	= 1540 mg/kg (Rat)	> 2400 mg/kg (Rat) > 4640 mg/kg (Rabbit) = 794 µL/kg (Rabbit)	> 12.7 mg/kg (Rat) 4 h > 17.6 mg/L (Rat) 1 h
Medium Aliphatic Solvent Naphtha (Petroleum) 64742-88-7	> 5000 mg/kg (Rat)	= 3000 mg/kg (Rabbit)	> 5.28 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

- Germ cell mutagenicity** May cause genetic defects.
- Carcinogenicity** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
- Reproductive toxicity** Suspected of damaging fertility or the unborn child.
- Aspiration hazard** May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mixed Aliphatic Hydrocarbons	30000: 72 h Pseudokirchneriella subcapitata mg/L EC50			2: 48 h Mysidopsis bahia mg/L LC50
Dimethycyclosiloxane Mixture		500: 96 h Brachydanio rerio mg/L LC50 1000: 96 h Lepomis macrochirus mg/L LC50		25.2: 24 h Daphnia magna mg/L EC50
Medium Aliphatic Solvent Naphtha (Petroleum) 64742-88-7	450: 96 h Pseudokirchneriella subcapitata mg/L EC50	800: 96 h Pimephales promelas mg/L LC50 static		100: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Dimethycyclosiloxane Mixture	5.1

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note The shipping description is specific to the container and mode of shipment. Please refer to the shipping papers for most up to date shipping information.
 NOTE: packages with inner packagings not over 1 liter/1 kg may be reclassified as a Limited Quantity/Consumer Commodity ORM-D.
 NOTE: ORM-D Designation (Shipments by highway, rail and vessel only valid until December 31, 2020).
 NOTE: Consumer Commodity (ORM-D) classification is for domestic surface/ground shipments only. Air shipments remain regulated.

DOT
UN/ID No UN3175
Proper Shipping Name Solids containing flammable liquid, n.o.s. (hydrocarbons)
Hazard Class 4.1
Packing Group II

IATA
UN/ID No UN3175
Proper Shipping Name Solids containing flammable liquid, n.o.s. (hydrocarbons)
Hazard Class 4.1
Packing Group II

IMDG

UN/ID No UN3175
Proper Shipping Name Solids containing flammable liquid, n.o.s. (hydrocarbons)
Hazard Class 4.1
Packing Group II
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Mixed Aliphatic Hydrocarbons	Present	X		Present		Present	X	Present	X	X
Dimethycyclosiloxane Mixture	Present	X		Present		Present	X	Present	X	X

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

US Federal Regulations

SARA 313

Not determined

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Medium Aliphatic Solvent Naphtha (Petroleum) 64742-88-7	X		

16. OTHER INFORMATION

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	2	0	Not determined
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	2	0	B

Issue Date: 1-Feb-2018
Revision Date:
Revision Note:

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet